

Westex  
UltraSoft AC®

FEEL

**THE SOFTEST,  
MOST COMFORTABLE  
AR/FR FABRIC EVER**



**Westex**

**UltraSoft AC®**



**Westex**  
**UltraSoft AC<sup>®</sup>**

## **Specify the fabric your workers will want to wear:**

- Ultimate, one-of-a-kind comfort and lightweight feel
- Incredible softness that only long-staple cotton & Westex engineering can deliver
- Superior fabric strength
- Improved appearance after laundering

Plus, it features all the qualities you've come to expect from Westex UltraSoft<sup>®</sup>, including **guaranteed flame resistance for the life of the garment**, enhanced protection from electric arc and flash fire exposures, our exclusive double-shrunk technology, and more.

**866.493.7839 WESTEX.COM**

STYLE	CONTENT	DESCRIPTION	WEIGHT	ARC RATING	
901	88% Long-Staple Cotton 12% High Tenacity Nylon	Shirt Lgt. Wgt. Coverall	7 oz sq/yd (237 g/m <sup>2</sup> )	8.3 (ATPV)	20%
951	88% Long-Staple Cotton 12% High Tenacity Nylon	Pant Jacket Coverall	9 oz sq/yd (305 g/m <sup>2</sup> )	11.7 (ATPV)	12%

\*Note: 88% is the maximum possible since the hands and feet are excluded. All figures include 7% for the head.



122 West 22nd Street  
Oak Brook, IL 60523  
866.493.7839  
**WESTEX.COM**

WHEN IT COMES TO **FR SAFETY** | WE ARE **ALL IN**



*Follow us for the latest FR insights.*

The information in this brochure is based on testing conducted by or conducted on behalf of Westex, Inc., an entity of Milliken & Company, and represents our analysis of the test results. It is not intended to substitute for any testing that may be unique and necessary for your facility for you to determine the suitability of our products for your particular purpose. Because we cannot anticipate all variations in end-user conditions, Westex, Inc. makes no warranties and assumes no liability whatsoever in connection with any use of this information. All test results reported are based on standard laboratory tests related to exposure to arcs, flames and heat. The results reported should not be used to predict garment performance in actual fire situations. All sales are exclusively subject to our standard terms of sale posted at [www.milliken.com/terms](http://www.milliken.com/terms) (all additional/different terms are rejected) unless explicitly agreed otherwise in a signed writing. Consult with the fabric supplier, garment manufacturer and launderer for recommendations of proper cleaning techniques.